



Acct: ACCU REFERENCE LAB 1 1901 EAST LINDEN AVE, SUITE 4 LINDEN, NJ 07036 (908) 474-1004 Phys:	Patient: DUMMY, DUMMY DOB: Phone: () - ID#: 89491603269999 Route#: 15 Fasting: N	Age: Sex: F Room# Page: 1
---	---	------------------------------------

Acc# 1604070093	Coll. Date: 04/07/16	Recv. Date: 04/07/16	Print Date: 06/02/16
Chart#	Coll. Time:	Recv. Time: 11:56 AM	Print Time: 11:35
First reported on:	05/11/16	Final report date:	05/13/16

Test Name	Normal	Out of Range	Normal Range	Units
-----------	--------	--------------	--------------	-------

Report Status: FINAL

Gastrointestinal Pathogen Panel

BACTERIA & BACTERIAL TOX

SALMONELLA	NEGATIVE		NEGATIVE
SHIGELLA	NEGATIVE		NEGATIVE
CAMPYLOBACTER	NEGATIVE		NEGATIVE
E.COLI O157	NEGATIVE		NEGATIVE
SHIGA TOXIN 1/2	NEGATIVE		NEGATIVE
E.COLI ST/LT	NEGATIVE		NEGATIVE
C.DIFFICILE TOXIN A/B		POSITIVE	NEGATIVE
VIBRIO CHOLERA	NEGATIVE		NEGATIVE

VIRUSES

ADENOVIRUS 40/41	NEGATIVE		NEGATIVE
NOROVIRUS GI	NEGATIVE		NEGATIVE
NOROVIRUS GII	NEGATIVE		NEGATIVE
ROTAVIRUS A	NEGATIVE		NEGATIVE

PARASITES

CRYPTOSPORIDIUM	NEGATIVE		NEGATIVE
ENTAMOEBIA HISTOLYTICA	NEGATIVE		NEGATIVE
GIARDIA LAMBLIA	NEGATIVE		NEGATIVE

Interpretation:

The xTAG Gastrointestinal Pathogen Panel (GPP) is an FDA approved multiplexed nucleic acid test intended for the simultaneous qualitative detection of multiple viral, parasitic, and bacterial targets in human stool specimens from individuals with signs and symptoms of infectious colitis or gastroenteritis.

Negative results do not rule out the possibility of infection. Result should be interpreted in conjunction with other relevant tests and the patient's clinical profile. If you have any questions, please contact the Molecular Diagnostics laboratory at Accureference Medical Lab.

----- END OF REPORT -----